



# BICYCLE

Tyre Range 2024 / 25

# CONTENT

**MOUNTAIN BIKE** 



ROAD



**GRAVEL** 



**URBAN/TOUR** 




**TUBULAR** 



**E-TYRES** 



**LEGEND ARTICLE LISTS** 



	Olli d Sport III	
	Hometrainer	30
	Road Application Guide	_ 31
	GRAVEL	_32
	Terra Speed	_ 33
	Terra Trail	_34
	Terra Hardpack	_ 35
	URBAN/TOUR	_36
	eCONTACT Plus	37
	CONTACT Plus	38
	CONTACT Urban	39
	CONTACT	40
	CONTACT Speed	41
	Top CONTACT II / Winter II Premiu	m <b>42</b>
	Super Sport Plus	43
	Grand Prix Urban / Taraxagum	44
MAN MAN A MAN A MAN AND AND AND AND AND AND AND AND AND A	RIDE City	45
	RIDE Tour	46
	Urban Application Guide	47
	TUBULAR	_46
	Competition	47
	Competition TT	48
	Sprinter	49
	SprinterGatorskin	50
	Giro	51
and the second and the second of the second	Sonderklasse II	52
	Tempo II	_ 53
是一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个一个		
	E-BIKE TYRES	_54
	TYRES AND SIZES	_ 56
	TUBES	_ 58
	ACCESSORIES	_ 62
	TECHNICAL FEATURES	_ 64
	TECH SUPPORT	_ 68
ady		
mpatible		

**MOUNTAIN BIKE\_** 

MTB Application Guide

Grand Prix 5000 S TR

**NEW** Grand Prix 5000 TT TR

Grand Prix 4-Season

Grand Sport Race\_

I Iltra Sport III

Grand Prix 5000 Grand Prix

Gatorskin Gator Hardshell

Grand Prix 5000 AS TR

Kryptotal Front Kryptotal Rear

Argotal

**Xynotal** 

Hydrotal Mountain King\_

Cross King\_

Race King

Ruban

eRuban

ROAD\_

06

07 08

09

10

11

12 14

15

16 17

18

20

21 22

23

24

25 26

27

28







# KRYPTOTAL F

### **WORLD CHAMPIONSHIP WINNING TYRE IN 2023!**

Our Kryptotal tyres are the all-rounders of our Gravity range. Stability, grip, traction and superior rolling resistance. Ideal for those mixed terrain conditions for you to push your limits in trail, enduro or downhill gravity riding.

Kryptotal front: better performance for front-wheel specific demands like track stability & agility. Steep and shallow ramps tailored to the area of application in mixed and loose terrain. **Benefit:** balance between harmonious, easy rolling and power transmission.



SuperSoft: 100% focus on grip, traction and control - the softest and grippiest compound in the MTB Gravity range. Ideal for Downhill and Enduro where the main focus is descending.



Soft: The balance of grip and rolling resistance for gravity focussed riders. High level of grip with a reasonable rolling resistance. Option to optimize the rolling properties of your rear wheel on the DH bike or have the optimal combo for Enduro or Trail riding.



Endurance: Compound with balanced properties on grip and endurance. High durability in combination with good rolling resistance and grip is achieved. The choice for trail riding or as an endurance focused compound for e-Bikes.

Charlie Hatton claimed gold at the men's 2023 UCI World Downhill Championships in Fort William, whilst Vali Hoell did likewise in the women's race! Speaking about the development of the tyre which involved extensive collaboration with the Continental-Atherton Bikes team, Continental's Oliver Anuth explains:

"Charlie and Andi, alongside Rachel, Dan and Gee have collaborated with Continental for 5 years now, and it's thanks to their ongoing feedback and expertise that we've been able to make a product that can help racers on the way to the podium at the highest level of the sport, and that everyday riders can experience too."














# **KRYPTOTAL** Re

### **WORLD CHAMPIONSHIP WINNING TYRE IN 2023!**

Developed and tested by the Continental-Atherton athletes at Dyfi Bike Park (Machynlleth, Wales), the Gravity range has been proven to excel in particularly rough and loose conditions.

Kryptotal rear: pattern design especially tailored for rear wheel use. Benefit: best performance in braking, traction and track stability. Balance of positive profile and open areas designed for best performance in complex terrains. Benefit: sweet spot between grip, self-cleaning, adaptivity and rolling characteristics. The use of steep and shallow ramps are tailored to the area of application in mixed and loose terrain. **Benefit:** balance between harmonious. easy rolling and power transmission

Supersoft, Soft & Endurance compound options, across DH, Enduro & Trail casings.











Kryptotal K	lear					
Downhill Supers	Soft - 6/660 TPI				₩₫.	E25 TR
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£
0101928	60-584	27.5 x 2.40	● foldable	1255	36-51	79.95
0101930	60-622	29 x 2.40	● foldable	1335	36-51	79.95
Downhill Soft - 6	5/660 TPI				₩.	
0101991	60-584	27.5 x 2.40	◆ foldable	1260	36-51	72.95
0101992	60-622	29 x 2.40	● foldable	1335	36-51	72.95
Enduro Soft - 3/	330 TPI				<b>®</b> 🔝	
0150707 NI	<b>EW</b> 60-559	26 x 2.40	● foldable	820	36-51	72.95
0150632	60-584	27.5 x 2.40	● foldable	1115	36-51	72.95
0150634	60-622	29 x 2.40	● foldable	1180	36-51	72.95
0150635	65-584	27.5 x 2.60	● foldable	1265	29-44	72.95
0150636	65-622	29 x 2.60	● foldable	1345	29-44	72.95
Trail Endurance	- 3/180 TPI				<b>\$</b> &	
0150637	60-584	27.5 x 2.40	◆ foldable	1000	36-51	65.95
0150638	60-622	29 x 2.40	● foldable	1060	36-51	65.95
0150639	65-584	27.5 x 2.60	● foldable	1155	29-44	65.95
0150640	65-622	29 x 2.60	● foldable	1240	29-44	65.95





# **ARGOTAL**

### **ENGINEERED FOR LOOSE CONDITIONS**

The ideal tyre for loose terrain given its incredible cornering stability and enhanced side-grip. Open tread pattern design for perfect interaction on loose surfaces. **Benefit:** good self-cleaning in moist and wet conditions. The pronounced studs are equipped with steep ramps in order to generate mechanical grip through a pattern-soil interaction. Benefit: expectational grip in loose and mixed surfaces.



Downhill Casing: Two Ply (4-6-4) carcass. 110 TPI Apex Tubeless-Ready. Application: Downhill, Freeride, Super Enduro & heavy Enduro. Bikes: Fullys -> 170-200mm suspension travel. Conventional and e-Bikes



Enduro Casing. Durable single ply (2-3-2) carcass construction with Apex to prevent snakebites. 110 TPI Apex PT cross-woven sideall layer. Tubeless-Ready. Application: Enduro and heavy Trail. Bikes:. Fullys -> 150-170mm suspension travel. Conventional & e-Bikes



Trail Casing Comparable performance to the Enduro casing tailored for trail use. Single ply carcass (2-3-2) 60 TPI. PT cross-woven sideall layer. Tubeless-Ready. **Application:** Tour and Trail Bikes. **Bikes:** Fullys -> 140-160mm suspension travel. Conventional and e-Bikes

"The Argotal is like nothing we've had in our range before and I think its going to be a staple tyre in any slightly soft riding conditions weather its wet or dry...honestly a game changer for us!" - Continental-Nukeproof Test Rider















Argotal						
Downhill SuperS	oft - 6/660 TPI				₩.	E25 TR
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£
0101951	60-584	27.5 x 2.40	● foldable	1255	36-51	79.95
0101953	60-622	29 x 2.40	● foldable	1335	36-51	79.95
Downhill Soft - 6	5/660 TPI				₩.₫.♣	
0101999	60-584	27.5 x 2.40	● foldable	1260	36-51	79.95
0102000	60-622	29 x 2.40	● foldable	1335	36-51	79.95
Enduro Soft - 3/3	330 TPI				<b>®</b> ♣	
0150684	60-584	27.5 x 2.40	● foldable	1115	36-51	72.95
0150686	60-622	29 x 2.40	● foldable	1180	36-51	72.95
0150685	65-584	27.5 x 2.60	● foldable	1265	29-44	72.95
0150688	65-622	29 x 2.60	● foldable	1345	29-44	72.95
Trail Endurance	- 3/180 TPI				<b>₩</b> &}.	
0150689	60-584	27.5 x 2.40	● foldable	1000	36-51	62.95
0150691	60-622	29 x 2.40	● foldable	1060	36-51	62.95
0150690	65-584	27.5 x 2.40	● foldable	1155	29-44	62.95
0150692	65-622	29 x 2.60	● foldable	1240	29-44	62.95

# **XYNOTAL CONTROL OVER ROCK AND HARDPACK TERRAIN**

Perfect for hardpack, rocky surfaces. With low rolling resistance and defined contact edges for improved traction and braking, you can go full gas knowing you'll have consistent grip right when you need it the most.

Analed in-line shoulder studs for predictable and indulgent transitions. Benefit: high limit range can be reached predictably and safely

Pronounced positive profile with a large number of contact areas. Benefit: harmonious riding behavior and high grip on hard and slightly loose surfaces.

Pronounced ramps in the direction of rotation ensure harmonious and easy rolling. Benefit: low rolling resistance and improved grip on hard surfaces.

Available in 8 formats to suit Downhill, Enduro and Trail riders.













Xynotal						
Downhill SuperS	oft - 6/660 TPI				₩.	<b>E25</b> TR
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£
0101931	60-584	27.5 x 2.40	● foldable	1255	36-51	79.95
0101932	60-622	29 x 2.40	● foldable	1335	36-51	79.95
Downhill Soft - 6	/660 TPI				₩.₫.♣	
0101995	60-584	27.5 x 2.40	◆ foldable	1260	36-51	79.95
0101996	60-622	29 x 2.40	◆ foldable	1335	36-51	79.95
Enduro Soft - 3/3	330 TPI				® 🕰 🔒	
0101997	60-584	27.5 x 2.40	◆ foldable	1115	36-51	72.95
0101998	60-622	29 x 2.40	◆ foldable	1180	36-51	72.95
Trail Endurance	- 3/180 TPI				<b>\$</b> &\$	
0150646	60-584	27.5 x 2.40	● foldable	1000	36-51	62.95
0150647	60-622	29 x 2.40	◆ foldable	1060	36-51	62.95





# **HYDROTAL DOMINATES THE WET AND MUD**

Our specialist Downhill Mud option, available in a race-ready super-soft compound. Hydrotal balances grip and rolling resistance and features a self-cleaning tread to ensure consistent grip when you're shredding through the gloopy, slippery sections.

Tapered and supported knob elements are designed to ease the interaction between stud and soil. **Benefit:** high mechanical grip and superb self-cleaning properties

Open pattern design for perfect interaction on loose surfaces Benefit: superb pattern-soil interaction and self-cleaning

Support structure and in-line shoulder studs

Benefit: high stability when cornering aggressively in loose and muddy soils



Downhill Casing: Two Ply (4-6-4) carcass. 110 TPI Apex Tubeless-Ready. Application: Downhill, Freeride, Super Enduro & heavy Enduro. **Bikes:** Fullys -> 170-200mm suspension travel. Conventional and e-Bikes



SuperSoft: 100% focus on grip, traction and control - the softest and grippiest compound in the MTB Gravity range. Ideal for Downhill and Enduro where the main focus is descending.

The HYDROTAL is tubeless-ready, featuring a folding bead and is E-rated to 25kph.











Hydrotal						
Downhill SuperS	Soft - 6/660 TPI	<b>⊕</b> 🕰 💄	E25 TR			
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£
0101954	60-584	27.5 x 2.40	● foldable	1255	36-51	79.95
0101955	60-622	29 x 2.40	● foldable	1335	36-51	79.95

# **MOUNTAIN KING** HERO ON THE MOUNTAIN: THE PERFECT TRAIL COMPANION

A great 'do-it-all' choice for all year trail use, ideal for full-suspension trail bikes.

As with all Continental MTB tubeless-ready casings, the Mountain King seats and inflates with ease. Middle lugs are angled for acceleration and speed, deep seated outer lugs take care of stability.

Designed alongside the adidas CMTK trail running shoe due to the close cooperation between adidas and Continental














Mountain K	ing					
BlackChili Comp	ound - ProTection - 3/1	180 TPI				E25 TR
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£
0101479	58-559	26 x 2.30	● foldable	610	40-54	68.45
0101461	58-584	27.5 x 2.30	● foldable	640	40-54	68.45
0101583	65-584	27.5 x 2.60	● foldable	790	29-44	79.95
0101582	70-584	27.5 x 2.80	● foldable	830	25-40	79.95
0101469	58-622	29 x 2.30	● foldable	680	40-54	68.45
PureGrip Compo	ound - ShieldWall Syste	em - 3/180 TPI				E25 TR
0150301	58-559	26 x 2.30	● foldable	765	40-54	39.95
0150289	58-584	27.5 x 2.30	● foldable	770	40-54	39.95
0150335	65-584	27.5 x 2.60	● foldable	935	29-44	42.95
0150334	70-584	27.5 x 2.80	● foldable	1020	25-40	42.95
0150294	58-622	29 x 2.30	● foldable	815	40-54	39.95
Wire - 3/180 TPI						E25
0150425	58-559	26 x 2.30	● Wire	760	40-54	27.45
0150425	58-584	27.5 x 2.30	● Wire	765	40-54	27.45
0150427	58-622	29 x 2.30	● Wire	810	40-54	27.45

**4 NAMES, 5 PATTERNS, INFINITE POSSIBILITIES** 

# The all new Gravity Range



### TERRAIN



HARDPACK MIXED

TERRAIN

























# CASING











### **CROSS KING THE ALL-ROUNDER**











Versatile competition and trail tyre, with enough grip for wet trails yet super fast rolling thanks to an offset centre tread design. Our unique BlackChili tread compound offers a great long lasting grip. The shoulder lugs provide high stability in high speed corners.

BlackChili Com	oound - ProTection - 3/	180 TPI				E25
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£
0101483	55-559	26 x 2.20	● foldable	570	45-58	68.45
0101481	58-559	26 x 2.30	● foldable	610	40-54	68.45
0101465	55-584	27.5 x 2.20	● foldable	595	45-58	68.45
0101463	58-584	27.5 x 2.30	● foldable	640	40-54	68.45
0101384	65-584	27.5 x 2.60	● foldable	790	29-44	79.95
0101385	70-584	27.5 x 2.80	● foldable	830	25-40	79.95
0101471	55-622	29 x 2.20	● foldable	635	45-58	68.45
0101475	58-622	29 x 2.30	● foldable	680	40-54	68.45
PureGrip Comp	ound - ShieldWall Syste	em - 3/180 TPI				<b>E25</b>
0150310	50-559	26 x 2.00	● foldable	630	51-65	42.95
0150303	55-559	26 x 2.20	● foldable	720	45-58	42.95
0150302	58-559	26 x 2.30	● foldable	765	40-54	42.95
0150308	50-584	27.5 x 2.00	● foldable	665	51-65	42.95
0150291	55-584	27.5 x 2.20	● foldable	740	45-58	42.95
0150290	58-584	27.5 x 2.30	● foldable	780	40-54	42.95
0150337	65-584	27.5 x 2.60	● foldable	920	29-44	42.95
0150336	70-584	27.5 x 2.80	◆ foldable	1040	25-40	42.95
0150306	50-622	29 x 2.00	● foldable	705	51-65	42.95
0150295	55-622	29 x 2.20	● foldable	785	45-58	42.95
0150297	58-622	29 x 2.30	● foldable	825	40-54	42.95
0150502	65-622	29 x 2.60	● foldable	995	29-44	42.95
Wire - 3/180 TP	l					E2
0101687	50-406	20 x 2.00	● Wire	460	50-65	27.45
0101688	50-507	24 x 2.00	● Wire	565	50-65	27.45
0150399	50-559	26 x 2.00	● Wire	640	50-65	27.45
0150404	55-559	26 x 2.20	● Wire	695	45-58	27.45
0150407	58-559	26 x 2.30	● Wire	720	40-54	27.45
0150402	50-584	26 x 2.00	● Wire	650	50-65	27.45
0150405	55-584	26 x 2.20	● Wire	740	45-58	27.45
0150408	58-584	27.5 x 2.30	● Wire	775	40-54	27.45
0150403	50-622	26 x 2.30	● Wire	760	50-65	27.45
0150406	55-622	29 x 2.20	● Wire	785	45-58	27.45
0150410	58-622	29 x 2.30	● Wire	820	40-54	27.45

# **RACE KING** THE XC RACERS FIRST CHOICE

Always the best choice when race-day trails are dry. The Race King feels just as at home at the Cross Country World Cup as it does at Ultra-Marathons. A voluminous carcass gives great self damping qualities whilst the low rolling tread pattern keeps the speed up through the turns and through to the straights. Also popular with jump bikers..



















# Ruban FROM RURAL TO URBAN - FOR REGULAR BIKES AND EBIKES

The energy-saving SUV allrounder that gets you to both Rural and Urban. The partner for your commute, running errands and the weekend tour.

- Fast rolling center area taking care of noise reduction & energy saving
- Always on track while cornering
- Improved riding experience with noise cancelling technology for reduced Noise Vibration Harshness









Ruban						
PureGrip Compo	ound - ShieldWall Syste	em - 3/180 TPI				<b>E25</b>
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£
0150574	54-584	27.5 x 2.10	● foldable	650	45-58	39.95
0150575	58-584	27.5 x 2.30	● foldable	795	40-54	39.95
0150576	65-584	27.5 x 2.60	● foldable	865	29-44	39.95
0150577	54-622	29 x 2.10	● foldable	695	45-58	39.95
0150578	58-622	29 x 2.30	● foldable	845	40-54	39.95
0150579	65-622	29 x 2.60	● foldable	910	29-44	39.95
Wire - 3/180 TPI						E2
0150534	54-584	27.5 x 2.10	● Wire	655	45-58	27.45
0150535	54-584	27.5 x 2.10	Wire reflective	665	45-58	29.95
0150536	58-584	27.5 x 2.30	● Wire	795	40-54	27.45
0150537	58-584	27.5 x 2.30	Wire reflective	805	40-54	29.95
0150538	65-584	27.5 x 2.60	● Wire	865	29-44	27.45
0150539	65-584	27.5 x 2.60	Wire reflective	865	29-44	29.95
0150540	54-622	29 x 2.10	● Wire	695	45-58	27.45
0150541	54-622	29 x 2.10	<ul> <li>Wire reflective</li> </ul>	705	45-58	29.95
0150545	58-622	29 x 2.30	● Wire	840	40-54	27.45
0150546	58-622	29 x 2.30	<ul> <li>Wire reflective</li> </ul>	850	40-54	29.95
0150547	65-622	29 x 2.60	● Wire	925	29-44	27.45
0150548	65-622	29 x 2.60	■ Wire reflective	920	29-44	29.95

# **eRuban Plus**

### FROM RURAL TO URBAN - SAVING BATTERY LIFE

Rougher conditions? Up to 20 % more puncture protection for eRuban Plus - built for eBikes certified up to 50 kph, with two additional anti-puncture technologies. The partner for your commute, running errands and the weekend tour.

The eRuban Plus is more than 200g lighter than competitor products


- Fast rolling center area taking care of noise reduction & energy saving
- Always on track while cornering
- Improved riding experience with noise cancelling technology for reduced Noise Vibration Harshness





PureGrip Compound - PolyX Breaker™ - Plus Breaker - Wire - 3/180 TPI							
Article	ETRTO	Dimension	Color/sidewall	g	PSI	E. RRP/£	
0150550	58-559	26 x 2.30	● Wire	800	40-54	34.95	
0150555	58-559	26 x 2.30	■ Wire reflective	810	40-54	39.95	
0150549	58-584	27.5 x 2.30	● Wire	840	40-54	34.95	
0150556	58-584	27.5 x 2.30	● Wire reflective	850	40-54	39.95	
0150551	65-584	27.5 x 2.60	● Wire	920	29-44	34.95	
0150557	65-584	27.5 x 2.60	Wire reflective	930	29-44	39.95	
0150552	54-622	29 x 2.10	● Wire	740	45-58	34.95	
0150558	54-622	29 x 2.10	Wire reflective	745	45-58	39.95	
0150553	58-622	29 x 2.30	● Wire	890	40-54	34.95	
0150559	58-622	29 x 2.30	● Wire reflective	895	40-54	39.95	
0150560	65-622	29 x 2.60	● Wire	970	29-44	34.95	
0150554	65-622	29 x 2.60	Wire reflective	965	29-44	39.95	







# **Grand Prix 5000 S TR MARKET LEADING TUBELESS-READY ALL ROUNDER**

Lighter, faster and with stronger sidewalls. The new standard in road tubeless ready technology. Ride faster, more comfortable and with increased puncture protection. Made to make you better.

The GP5000S TR has been the winning tyre at both the men's Paris-Roubaix and World Time Trial Championships, showing its versatility across these very different races with their very different demands on equipment. The GP5000S TR covers them all!! .

For initial mounting we recommend to use at least 30 ml of Conti RevoSealant per tyre. Then spin the wheel to spread the Conti RevoSealant inside of the tyre and pump to the allowed maximum pressure. Check the pressure before the next ride and adjust to your desired PSI.

Review - bicyclerollingresistance.com

700 x 25


700 x 28


















Grand Prix 5000 S TR							Recommend	lea	
BlackChili Compound - Vectran Breaker - LazerGrip - 2/220 TPI					TR		hookless	hooked	
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£	max. Rim width	max. PSI	max. PSI
0101934	30-584	650 x 30B	● foldable	305	56-70	79.95	25TSS/C	73	73
0101935	32-584	650 x 32B	♠ foldable	330	51-73	79.95	25TSS/C	73	73
0101866	25-622	700 x 25C	● foldable	275	73-109	79.95	21TSS/C	73	109
0101873	25-622	700 x 25C	♠ foldable	280	73-109	79.95	21TSS/C	73	109
0101867	28-622	700 x 28C	● foldable	305	73-94	79.95	25TSS/C	73	95
0101874	28-622	700 x 28C	♠ foldable	305	73-94	79.95	25TSS/C	73	95
0101868	30-622	700 x 30C	● foldable	325	56-70	79.95	25TSS/C	73	73
0101875	30-622	700 x 30C	♠ foldable	330	56-70	79.95	25TSS/C	73	73
0101869	32-622	700 x 32C	● foldable	350	51-73	79.95	25TSS/C	73	73
0101876	32-622	700 x 32C	● foldable	350	51-73	79.95	25TSS/C	73	73

# **Grand Prix 5000 AS TR** FOR THE EXTRA MILE, RAIN OR SHINE

A welcome addition to the Grand Prix 5000 family - a tubeless-ready All-Season (AS) model. Choose the GP5000AS TR for maximum protection in all-weather conditions, complementing our already established GP4Season as a tubeless alternative.

- More wet grip
- More mileage
- More puncture protection
- Higher visibility




















Grand Prix 5000 AS TR								
BlackChili Compound - Vectran Breaker - LazerGrip - 2/220 TPI								
Article	ETRTO	Dimension	Colour/sidewa	all g	PSI	RRP/£		
0101910	25-622	700 x 25C	<ul><li>foldable</li></ul>	300	73-109	89.95		
0101901	25-622	700 x 25C	<ul><li>foldable</li></ul>	300	73-109	84.95		
0101911	28-622	700 x 28C	● foldable	335	73-94	89.95		
0101902	28-622	700 x 28C	<ul><li>foldable</li></ul>	335	73-94	84.95		
0101912	32-622	700 x 32C	● foldable	385	51-73	89.95		
0101903	32-622	700 x 32C	• foldable	385	51-73	84.95		
0101913	35-622	700 x 35C	● foldable	425	36-65	89.95		
0101904	35-622	700 x 35C	• foldable	425	36-65	84.95		

Recommended						
	hookless	hooked				
max. Rim width	max. PSI	max. PSI				
21TSS/C	73	109				
21TSS/C	73	109				
25TSS/C	73	95				
25TSS/C	73	95				
25TSS/C	73	73				
25TSS/C	73	73				
25TSS/C	65	65				
25TSS/C	65	65				





# **Grand Prix 5000 TT TR SPECIALIST AGAINST THE CLOCK..**

The fastest option in the Grand Prix 5000 tubeless tyre family. For the pure pursuit of speed, and already proven in both Dan Bigham & Filippo Ganna's successful World Hour Record attempts.

The tyre of choice for Team Ineos in all TT and Team TT races.

- Maximum speed
- Minimum weight
- Vectran puncture protection
- Race proven quality

Review - bicyclerollingresistance.com

700 x 25





700 x 28







0101894

**Grand Prix 5000 TT TR** 

**ETRTO** 

25-622

28-622



Dimension


700 x 25C

700 x 28C





foldable



25TSS/C

99.95

73-94

# **Grand Prix 5000**

### MARKET LEADING ALL ROUNDER FOR TUBE-TYPE WHEELS

The best allrounder in the field, brought to a whole new performance level. Ride faster, more comfortable and with increased puncture protection. Made to make you better.

Compared to its predecessor, the famous GP4000, the GP5000 has the following improvements:

+12% better rolling resistance (speed): +20% more puncture protection: -10g lighter (25-622): improved comfort

The introduction of new technologies including a new BlackChili 'Active Comfort' compound, LazerGrip etched tread moulding and Vectran anti-puncture breaker belts under the tread.













<b>Grand Prix!</b>	5000							
BlackChili Compound - Vectran Breaker - LazerGrip - ACT - 3/330 TPI								
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£		
0101620	25-584	650 x 25B	● foldable	210	95-120	69.95		
0101622	28-584	650 x 28B	● foldable	230	95-115	69.95		
0101623	23-622	700 x 23C	● foldable	200	110-120	69.95		
0101624	25-622	700 x 25C	● foldable	225	95-120	69.95		
0101947	25-622	700 x 25C	♠ foldable	260	95-120	69.95		
0101895	25-622	700 x 25C	● foldable	230	95-120	69.95		
0101625	28-622	700 x 28C	● foldable	240	95-115	69.95		
0101948	28-622	700 x 28C	● foldable	290	95-115	69.95		
0101896	28-622	700 x 28C	● foldable	245	95-115	69.95		
0101626	32-622	700 x 32C	● foldable	285	85-102	69.95		
BlackChili Comp	ound - Vectran Breake	r - LazerGrip - ACT - 3/330 T	PI			E!		
0101813	30-622	700 x 30C	● foldable	255	85-102	69.95		





# **Grand Prix**THE ORIGINAL RACING CLASSIC

The name 'Grand Prix' has become a brand of its own in cycling circles worldwide. This is the tyre from which the famous GP5000 originated.

The Grand Prix now sits below the GP5000 in the Continental road tyre range, at a different price point, offering a 180tpi casing, Poly-X anti-puncture technology and a BlackChili compound.

All of these components ensure that cyclists using the Grand Prix can be sure of race proven technology. made in Germany.

Review - bicyclerollingresistance.com



# **Grand Prix 4-Season**

# THE ALL-YEAR-ROUND TYRE AND A RELIABLE COMPANION FOR THOSE HIGH MILEAGE ROAD CYCLISTS

Reliable companion for training rides and in competition, come rain or shine. The tyre with a superior durability ready for any season. With DuraSkin® sidewall reinforcement.

- Styled on the GP4000 S II, but with extra protection layers for harsh weather conditions
- Duraskin® cut-resistant layer from bead to bead plus 2 extra Vectran breakers
- Black "Max Grip Silica" compound optimised for wet weather adhesion, low temperatures and extended tread life.
- The toughest performance clincher on the market.







Grand Prix									
BlackChili Compound - PolyX Breaker - 3/180 TPI									
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£			
0100148	28-559	26 x 1%	• wire	305	95-115	35.95			
0100149	28-559	26 x 1%	● foldable	245	95-115	44.95			
0100502	23-571	650 x 23C	• wire	275	110-120	35.95			
0100505	23-622	700 x 23C	• wire	300	110-120	35.95			
0100506	23-622	700 x 23C	● foldable	230	110-120	44.95			
0100637	25-622	700 x 25C	● foldable	230	110-120	44.95			
0101109	28-622	700 x 28C	● foldable	270	95-115	44.95			



Grand Prix 4-Season									
Double Vectran Breaker - 3/330 TPI									
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£			
0100173	23-622	700 x 23C	● foldable	235	110-120	65.95			
0100175	25-622	700 x 25C	● foldable	230	95-120	65.95			
0101105	28-622	700 x 28C	● foldable	295	95-115	65.95			
0101095	32-622	700 x 32C	● foldable	340	85-102	65.95			





# Gatorskin RIDE HOW AND WHERE YOU WANT

The most well-known road bicycle tyre. Durable, fast yet tough at a really nice price. The Duraskin® external mesh forms a protective sheild over the entire casing to help prevent cuts, puntures and abrasions. The slick German made natural rubber tread is designed to perform well in wet/wintery conditions.

Intended for high mileage serious cyclists in a host of sizes.

Review - bicyclerollingresistance.com



### 

Gatorskin								
PolyX Breaker - 3/180 TPI								
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£		
0118365	28-559	26 x 11/8	• wire	320	95-120	39.95		
0118364	23-571	650 x 23C	• wire	275	110-120	39.95		
0118537	23-622	700 x 23C	• wire	300	110-120	39.95		
0118538	23-622	700 x 23C	● foldable	230	110-120	49,99		
0118539	25-622	700 x 25C	• wire	310	95-120	39.95		
0100084	25-622	700 x 25C	● foldable	245	95-120	49,95		
0121228	28-622	700 x 28C	• wire	360	95-115	39.95		
0100641	28-622	700 x 28C	● foldable	280	95-115	49,95		
0100437	32-622	700 x 32C	• wire	420	85-102	39.95		
0100642	32-622	700 x 32C	● foldable	350	85-102	49,95		
0122300	32-630	27 x 1¼	• wire	420	85-102	39.95		

# **Gator Hardshell**MORE DURABLE FOR FIXIES & MESSENGERS

Ideal when it comes to extremely long service life, for the extra urban demands of high-use machines . MORE casing; MORE anti-puncture breaker material; MORE protection...


Taking the Gatorskin as our base, we've added a third Polyamide layer in the sidewall to make a unique 3-ply casing for the Gator Hardshell.

We've also added a wider Poly-X anti puncture breaker belt under the tread which extends down into the shoulder area for wider coverage..





Gator Hardshell								
Hardshell - 3/180 TPI								
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£		
0100310	23-622	700 x 23C	• wire	335	110-120	49.95		
0100311	23-622	700 x 23C	● foldable	265	110-120	54.95		
0100312	25-622	700 x 25C	• wire	340	95-120	49.95		
0100313	25-622	700 x 25C	● foldable	270	95-120	54.95		
0100314	28-622	700 x 28C	• wire	400	95-115	49.95		
0100639	28-622	700 x 28C	● foldable	330	95-115	54.95		
0100435	32-622	700 x 32C	• wire	440	85-102	49.95		
0100640	32-622	700 x 32C	● foldable	370	85-102	54.95		
0100315	32-630	27 x 1¼	• wire	440	85-102	49.95		



### **Grand Sport Race** PROVEN RACING TYRE CONTOUR FOR **RESPONSIVE HANDLING AND SECURE GRIP**

A supple 180 tpi casing for great rolling, handling and grip with NyTech breaker technology to offer good puncture resistance, and all at a great price.

Equally adept in the peleton in the local racing league, as it is for all-day training rides on rugged roads.

\* Tanwall option available in 700x28.

# **Ultra Sport III EYE CATCHING QUALITY FOR THE SERIOUS BEGINNER**

The Ultra Sport features our PureGrip compound, which is competitive with any compound on the market at the given price point. It also features a supple 180 threads per inch casing.

The Ultra Sport is very popular with some of the leading race bike brands as an original equipment product, meaning these companies place their trust in Continental as a fitting addition to their machines. Wire and folding bead options.





Grand Sport Race									
PureGrip Compound - NyTech Breaker - 3/180 TPI									
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£			
0150001	23-622	700 x 23C	● foldable	245	110-120	34.95			
0150027	25-622	700 x 25C	● foldable	270	95-120	34.95			
0150118	28-622	700 x 28C	● foldable	335	80-115	34.95			
0150624	28-622	700 x 28C	● foldable	335	80-115	34.95			
0150141	32-622	700 x 32C	● foldable	400	65-102	34.95			



Ultra Sport	Ш					
PureGrip Compo	ound - 3/180 TPI					E25
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£
0150472	25-584	650 x 25B	● foldable	250	95-120	27.95
0150475	28-584	650 x 28B	● foldable	275	95-115	27.95
0150449	23-622	700 x 23C	● foldable	245	110-120	27.95
0150459	25-622	700 x 25C	• wire	265	95-120	22.95
0150457	25-622	700 x 25C	● foldable	265	95-120	27.95
0150468	28-622	700 x 28C	• wire	265	80-115	22.95
0150466	28-622	700 x 28C	● foldable	295	80-115	27.95
0150680	28-622	700 x 28C	● foldable	285	80-115	27.95
0150470	32-622	700 x 32C	● wire	265	65-102	22.95




# **Hometrainer II** THE KILOMETRE ACCUMULATOR ON THE ROLLERS


Developed for the essential basic training at home. Particularly smooth running. The durable cold-running compound stops heat build up. Keep a spare rear wheel and fit the Hometrainer tyre to save your

! Suitable for training on rollers/home trainers only.

regular tyre from excess wear.

Hometrainer II								
Foldable - 3/180 TPI								
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£		
0100648	47-559	26 x 1.75	● foldable	365	45-65	41.95		
0101275	50-584	27.5 x 2.00	● foldable	400	45-65	41.95		
0100647	23-622	700 x 23C	● foldable	205	110-120	41.95		
0100649	32-622	700 x 32C	● foldable	275	85-102	41.95		








# **Terra Speed CHOOSE ALTER ROAD, CHOOSE TERRA**

Be it the long tour, or the shortcut on your way home. The new gravel Terra series by Continental gets you there.

The Terra Speed is the fast model in our series. From tarmac to sand, made to get you safely through.

- durable : tubeless ready ProTection casing layer to enable lower pressures without risk of pinch flats
- tan, cream or all-black? choose from three sidewall colour options
- 650 & 700 sizes











Terra Speed						
ProTection - 3/1	BO TPI					<b>E25</b> TR
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£
0101719	35-584	650 x 35B	● foldable	335	45-73	65.95
0101720	35-584	650 x 35B	♠ foldable	335	45-73	65.95
0101717	40-584	650 x 40B	● foldable	450	45-73	65.95
0101718	40-584	650 x 40B	♠ foldable	450	45-73	65.95
0101693	35-622	700 x 35C	● foldable	360	45-73	65.95
0101700	35-622	700 x 35C	♠ foldable	360	45-73	65.95
0101694	40-622	700 x 40C	● foldable	465	45-73	65.95
0101702	40-622	700 x 40C	♠ foldable	465	45-73	65.95
0101837	40-622	700 x 40C	● foldable	475	45-73	65.95
0102007	45-622	700 x 45C	● foldable	490	45-65	65.95
0102016 <b>NE</b>	<b>W</b> 45-622	700 x 45C	● foldable	490	45-65	65.95





# **Terra Trail** FOR YOUR WAY OFF-ROAD. FOR MORE COMFORT. FOR THE **ADVENTURE**

Be it the long tour, or the shortcut on your way home. The new gravel Terra series by Continental gets you there.

The Terra Trail is the nobbiest model in our series. Made to get you over rough and smooth.

- durable : tubeless ready ProTection casing layer to enable lower pressures without risk of pinch flats
- tan, cream or all-black? choose from three sidewall colour options
- Shieldwall casing mid-price options also tubeless-ready
- 650 & 700 sizes

### ACKCHILL TECHNOLOGY SYSTEM SYSTEM






Terra Trail						
ProTection - 3/1	80 TPI					<b>E25</b> TR
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£
0101715	40-584	650 x 40B	● foldable	435	45-73	65.95
0101716	40-584	650 x 40B	♠ foldable	435	45-73	65.95
0101944	40-584	650 x 40B	♠ foldable	470	45-73	65.95
0101697	40-622	700 x 40C	● foldable	455	45-73	65.95
0101701	40-622	700 x 40C	♠ foldable	455	45-73	65.95
0101836	40-622	700 x 40C	<ul><li>foldable</li></ul>	490	45-73	65.95
PureGrip Compo	ound - ShieldWall Syste	em - 3/180 TPI				E25
0150509	47-584	650 x 47B	● foldable	520	36-65	42.45
0150508	47-584	650 x 47B	<ul><li>foldable</li></ul>	525	36-65	42.45
0150503	35-622	700 x 35C	● foldable	425	45-73	42.45
0150505	35-622	700 x 35C	<ul><li>foldable</li></ul>	440	45-73	42.45
0150507	40-622	700 x 40C	● foldable	495	45-73	42.45
0150673	40-622	700 x 40C	♠ foldable	475	45-73	42.45
0150675	45-622	700 x 45C	● foldable	535	36-65	42.45
0150674	45-622	700 x 45C	♠ foldable	475	36-65	42.45

# **Terra Hardpack** FOR THE ADVENTUREOUS BIKEPACKER

The Terra Hardpack is the bikepacker model in our series. Made to roll on sealed roads, yet gets you safely through the gravel sections.

- durable : tubeless-ready Shieldwall casing to enable lower pressures without risk of pinch flats
- wide 50mm tread for maximum comfort yet within gravel bike frame clearances
- 650 & 700 sizes





Terra Hard	Terra Hardpack								
PureGrip Comp	PureGrip Compound - ShieldWall System - 3/180 TPI								
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£			
0150563	50-584	650 x 50B / 27.5"	● foldable	575	51-65	42.45			
0150565	50-622	700 x 50C / 29"	● foldable	615	51-65	42.45			






### eCONTACT Plus

### THE ULTIMATE IN CONFIDENCE AND COMFORT

The eCONTACT Plus is a tyre specifically developed for the commuting and load-carrying demands of e-bikes. Equipped with E5O certification, durability and puncture protection are enhanced to resist the stresses from increased torque and acceleration.

This high-mileage tyre features a compact tread pattern to keep rolling resistance low, boosting the range of each battery

Not only is the eCONTACT Plus strengthened against small objects such as glass and thorns, but thanks to the unique tread and advancement of the Continental construction technologies, it also boasts better protection from nails and larger hazards.





SafetyPlus Pro	Breaker - 3/180 1	[PI - (▶					E50 U
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	kg+	RRP/£
0101973	50-406	20 x 2.00	<ul><li>wire reflective</li></ul>	745	50-73	85	44.95
0101974	55-406	20 x 2.20	<ul><li>wire reflective</li></ul>	770	45-73	90	44.95
0101975	62-406	20 x 2.50	<ul><li>wire reflective</li></ul>	835	45-58	115	44.95
0101976	55-559	26 x 2.20	<ul><li>wire reflective</li></ul>	1100	36-65	128	44.95
0101977	55-584	27.5 x 2.20	<ul><li>wire reflective</li></ul>	1195	36-65	128	44.95
0101978	62-584	27.5 x 2.50	<ul><li>wire reflective</li></ul>	1220	36-65	128	44.95
0101979	50-622	700x50 / 28 x 2.00	<ul><li>wire reflective</li></ul>	1095	45-73	121	44.95
0101980	55-622	700x55 / 28 x 2.20	• wire reflective	1150	36-65	128	44.95
0101981	62-622	700x62 / 28 x 2.50	• wire reflective	1270	36-58	128	44.95



# **CONTACT Plus** TOUGHEST YET LIGHTEST PLUS TYRE ON THE MARKET

Up to 30% better protection\* Our toughest commuter & leisure tyre for standard bikes, rental bikes & e-bikes. An all-rounder for all types of road & path surfaces.

- SafetyPlus construction developed for e-bikes up to 50km/h. Extremely resistant to cuts and piercing
- Safety Plus surprisingly fast rolling thanks to a flexible 180 threads per inch nylon casing
- Built to handle rapid acceleration and high cornering speeds

#### ECE-R75-certified, designated for usage on e-bikes up to 50km/h.

\* Benchmark Test CONTACT Plus

In the course of the development of the new CONTACT Plus, a total of nine tyres has been compared with a competitor's tyre model in a susceptibility to piercing (blade) test. The benchmark test results by the Zedler Institute underlined that the CONTACT Plus would perform "distinctly more resistant" against the damages by pieces of glass and comparable items than the competitor's tyre.

To find out more about the Contact Plus Puncture Resistance Test scan the OR code.









SafetyPlus Bre	eaker - 3/180 TPI -	<b>&gt;</b>					E50 07
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	kg+	RRP/£
0101001	47-507	24 x 1.75	• wire reflective	940	45-58	90	39.95
0101002	47-559	26 x 1.75	• wire reflective	1040	45-58	109	39.95
0101221	42-584	27.5 x 1.60	• wire reflective	990	50-65	100	39.95
0101003	28-622	700x28 / 28 x 1% x 1%	• wire reflective	645	80-102	85	39.95
0101004	32-622	700x32 / 28 x 1¼ x 1¾	• wire reflective	750	70-85	90	39.95
0101005	37-622	700x37 / 28 x 1% x 1%	• wire reflective	980	58-85	100	39.95
0101816	40-622	700x40 / 28 x 1.50	• wire reflective	1020	58-94	100	39.95
0101006	42-622	700x42 / 28 x 1.60	• wire reflective	1050	51-73	100	39.95
0101007	47-622	700x47 / 28 x 1.75	• wire reflective	1150	45-58	95	39.95
0101008	42-635	28 x 1 1/2	● wire reflective	1070	51-65	100	39.95
PUNCTURE	PROTECTION	0					07

# **CONTACT Urban CYCLING ON THE CITY PULSE**

Premium mobility for design enthusiasts. Urban tread pattern packed with the latest technology. The perfect symbiosis between light-rolling and puncture protection reflected in this specialized tyre designed for the city jungle.

Faster? Not a problem with approval for e-bikes up to 50km/h.




RATING: 5.0 / 5 TEST VERDICT: Highly Recommended









PureGrip Com	pound - SafetyPro	- 3/180 TPI					E50 🕕
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	kg+	RRP/£
0150356	35-349	16 x 1.35	<ul><li>wire reflective</li></ul>	265	65-116	65	39.95
0150648	35-349	16 x 1.35	<ul><li>fold reflective</li></ul>	220	65-116	65	44.95
0150649	35-349	16 x 1.35	<ul><li>fold reflective</li></ul>	220	65-116	65	44.95
0150681	35-349	16 x 1.35	<ul><li>fold reflective</li></ul>	205	65-116	65	44.95
0150365	32-406	20 x 1.25	<ul><li>wire reflective</li></ul>	295	65-102	71	39.95
0150352	42-406	20 x 1.60	<ul><li>wire reflective</li></ul>	355	58-85	75	39.95
0150354	50-406	20 x 2.00	<ul><li>wire reflective</li></ul>	430	51-73	80	39.95
0150366	47-559	26 x 1.75	<ul><li>wire reflective</li></ul>	565	45-73	112	39.95
0150355	50-559	26 x 2.00	<ul><li>wire reflective</li></ul>	590	51-73	121	39.95
0150367	55-559	26 x 2.20	<ul><li>wire reflective</li></ul>	665	36-65	132	39.95
0150353	42-584	27.5 x 1.60	<ul><li>wire reflective</li></ul>	515	58-94	106	39.95
0150357	50-584	27.5 x 2.00	<ul><li>wire reflective</li></ul>	615	58-94	121	39.95
0150368	55-584	27.5 x 2.20	<ul><li>wire reflective</li></ul>	690	36-65	132	39.95
0150658	62-584	27.5 x 2.50	<ul> <li>wire reflective</li> </ul>	750	45-58	132	39.95
0150369	28-622	700x28 / 28 x 1½ x 1½	<ul><li>wire reflective</li></ul>	400	80-109	85	39.95
0150370	32-622	700x32 / 28 x 1¼ x 1¾	<ul><li>wire reflective</li></ul>	445	65-94	90	39.95
0150371	35-622	700x35 / 28 x 1% x 1%	• wire reflective	465	65-94	95	39.95
0150350	37-622	700x37 / 28 x 1% x 1%	• wire reflective	485	58-94	100	39.95
0150351	40-622	700x42 / 28 x 1.50	• wire reflective	545	58-94	100	39.95
0150349	42-622	700x42 / 28 x 1.60	• wire reflective	545	51-85	106	39.95
0150372	47-622	700x47 / 28 x 1.75	• wire reflective	625	45-73	115	39.95
0150358	50-622	700x50 / 28/29 x 2.00	• wire reflective	655	51-73	121	39.95
0150373	55-622	700x55 / 28/29 x 2.20	• wire reflective	735	36-65	132	39.95
0150656	62-622	700x62 / 28/29 x 2.50	• wire reflective	795	45-58	132	39.95





# **CONTACT** WHEN THINGS GET TOUGH

Versatile allrounder which connects reliably to every surface. Equipped with the most popular tread pattern from the urban/ tour range, especially designed for a high degree of safety thanks to its lamellar structure.

- Fast, safe & comfortable & long lasting!
- The jack of all trades tyre from weekend leisure to globetrotting on the tandem
- Includes Safety System technology under the tread
- Reflective sidewall option

### Safety O System


SafetySystem B	reaker - 3/180 TPI					E25 🛈
Article	ETRTO	Dimension	Color/sidewall	g	PSI	RRP/£
0101310	37-406	20 x 1.40	• wire	420	56-70	24.95
0101311	37-406	20 x 1.40	• wire reflective	420	56-70	27.95
0101312	47-406	20 x 1.75	• wire	505	45-58	24.95
0101313	47-406	20 x 1.75	• wire reflective	505	45-58	27.95
0101314	47-559	26 x 1.75	• wire	670	45-58	29.95
0101315	47-559	26 x 1.75	• wire reflective	670	45-58	32.95
0101316	28-622	700x28 / 28 x 1% x 1%	• wire	480	80-102	29.95
0101317	28-622	700x28 / 28 x 1% x 1%	• wire reflective	480	80-102	32.95
0101318	32-622	700x32 / 28 x 1¼ x 1¾	• wire	495	70-85	29.95
0101319	32-622	700x32 / 28 x 1¼ x 1¾	• wire reflective	495	70-85	32.95
0101320	37-622	700x37 / 28 x 1% x 1%	• wire	610	58-85	29.95
0101321	37-622	700x37 / 28 x 1% x 1%	• wire reflective	610	58-85	32.95
0101324	42-622	700x42 / 28 x 1.60	• wire	645	51-85	29.95
0101325	42-622	700x42 / 28 x 1.60	• wire reflective	645	51-85	32.95
0101328	47-622	700x47 / 28 x 1.75	• wire	770	45-58	29.95
0101327	47-622	700x47 / 28 x 1.75	• wire reflective	770	45-58	32.95

# **CONTACT Speed** UNITES SPEED AND COMFORT IN ONE TYRE

The perfect choice for the city speedsters, single-speed bikes and fitness bikes. With its double layer of fabric breaker, the lightweight design and its roughened slick tread it shines especially on tarmac.

The CONTACT Speed also features a ,skinwall' sidewall. Most city/trekking tyres use a gumwall meaning lots of rubber in the sidewall to improve sidewall puncture resistance. A skinwall sidewall is much faster than a gumwall but just a little forward thinking is needed to avoid scuffing kerbs and to always maintain the minimum recommended tyre pressure.

"Micro-diamond' tread pattern rolls fast yet grips on loose debris covering road surfaces like grit, gravel or mud. Reflective sidewalls are an option on some sizes for added safety and the CONTACT Speed is able to be used with dynamo lights..





<b>CONTACT S</b>	peed					
SafetySystem B	reaker - 3/180 TPI				E25 04	
Article	ETRTO	Dimension	Color/sidewall	g	PSI	RRP/£
0101387	28-406	20 x 1.10	• wire	265	70-85	27.95
0101389	32-559	26 x 1.30	• wire	430	70-85	29.95
0101393	42-559	26 x 1.60	• wire	540	65-85	29.95
0101395	50-559	26 x 2.00	• wire	665	45-58	29.95
0101397	32-584	27.5 x 1.25	• wire	470	70-85	29.95
0101401	50-584	27.5 x 2.00	• wire	700	51-65	29.95
0101402	28-622	700x28 / 28 x 1% x 1%	• wire	425	80-102	29.95
0101403	28-622	700x28 / 28 x 1% x 1%	• wire reflective	425	80-102	34.95
0101406	32-622	700x32 / 28 x 1¼ x 1¾	• wire	485	70-85	29.95
0101414	37-622	700x37 / 28 x 1% x 1%	• wire reflective	500	70-85	34.95
0101412	37-622	700x37 / 28 x 1% x 1%	• wire	500	70-85	29.95
0101416	42-622	700x42 / 28 x 1.60	• wire	590	51-85	29.95
SAFFTYIFVE		1		114		





# **Top CONTACT II Top CONTACT Winter II Premium** THE PROVEN FAST TREKKING ALL-ROUNDER

Premium tourer / road adventure tyre, and safe to use when the roads turn to gravel tracks. Outstanding rolling characteristics fostered by a broad central tread pattern and a high-end fabric breaker. Made in Germany.

The Top CONTACT Winter II Premium benefits from our know-how as leading manufacturer of winter tyres for cars and trucks and offers full control on slippery, snowy roads and surfaces thanks to its grippy lamellar tread pattern. Made in

#### ECE-R75-certified: Recommended for e-bikes up to 50km/h.

Vectran E 150



Top CONT	ACT II						
Vectran Break	er - 3/180 TPI				E50 <b>€</b> 6		
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	kg+	RRP/£
0101735	50-559	26 x 2.00	• foldable reflective	715	45-65	109	68.45
0100615	28-622	700x28 / 28 x 1% x 1%	• foldable reflective	455	80-102	85	68.45
0100573	32-622	700x32 / 28 x 1¼ x 1¾	• foldable reflective	510	70-85	85	68.45
0100441	37-622	700x37 / 28 x 1% x 1%	• foldable reflective	590	58-85	85	68.45
0100358	42-622	700x42 / 28 x 1.60	• foldable reflective	725	51-85	85	68.45
0100439	47-622	700x47 / 28 x 1.75	• foldable reflective	745	45-65	95	68.45
SAFETY LEV	EL					€6	

### Vectran™ E 750/

Vectran Break	er - 3/180 TPI						<b>E50 Û</b>
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	kg+	RRP/£
0100712	50-559	26 x 1.90	• foldable reflective	610	45-58	121	68.45
0101734	55-559	26 x 2.20	● foldable reflective	745	45-58	128	68.45
0101281	50-584	27.5 x 2.00	• foldable reflective	640	45-65	121	68.45
0100713	37-622	700x37 / 28 x 1% x 1%	• foldable reflective	470	58-85	95	68.45
0100714	42-622	700x42 / 28 x 1.60	• foldable reflective	685	51-85	100	68.45

# **Super Sport Plus MESSENGERS, HARDCORE COMMUTERS AND FIXIE RIDERS**

The Supersport pedigree is long standing in the Continental range, as a model delivering long mileage and amazing puncture resistance.

Borrowing a proven tread pattern from the venerable Grand Prix, the Supersport PLUS now features our Plus breaker belt, a thick elastomer layer beneath the tread to provide superior puncture protection

Robust, extra thick casing rubber provides extra sidewall durability, whilst added material in the tread strip defines tread life

Messengers, hardcore commuters and fixie riders - your tyre has arrived!.

- When avoiding punctures is the sole requirement
- Soft elastomer ,PLUS' belt under tread
- Thorns, glass and other debris are pushed away rather than penetrating through



Super Spor	t Plus					
Plus Breaker - 3	/84 TPI					
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£
0100342	25-622	700 x 25C	• wire	485	95-120	34.95
0100343	25-622	700 x 25C	◆ foldable	425	95-120	39.95
0100349	28-622	700 x 28C	• wire	565	80-115	34.95
0100347	28-630	27 x 11/8	• wire	590	80-115	34.95
0100348	32-630	27 x 1¼	● wire	635	70-102	34.95





# **Grand Prix Urban** THE STATEMENT TYRE FOR THE CITY

Combines a modern tread pattern design with the latest technology. Built with a tuned race construction while damping for comfort - a matching mix for the urban ride. Its black reflective stripe blends perfectly with the sidewall.

Does not meet the certification standard ECE-R88. Does not support reflective properties as per StVZO (Germany).



Grand Prix BlackChili Comp	<b>Urban</b> oound - PolyX Breaker -	3/180 TPI				
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£
0101575	35-622	700x35 (28")	◆ foldable	345	65-85	51.95
0101673	35-622	700x35 (28")	● foldable	335	65-85	51.95



# **Urban TaraxaGum GIVE SOMETHING BACK TO YOUR CITY!**

The Urban Taraxagum is the first serial product made of dandelion rubber combining local production with minimal transport distances in the supply chain - ideal for the urban ride.

Vectran™ TARAXAGUM →

Urban Tara	Urban Taraxagum										
Taraxagum™ - V	ectran Breaker - 3/180 <sup>-</sup>	ГРІ									
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£					
0101675	35-622	700x35 (28")	◆ foldable	345	65-85	54.95					



# **RIDE Tour INEXPENSIVE, LONG LASTING, PUNCTURE RESISTANT**

The RIDE Tour offers everything a real all-round tyre needs. A tread for every intended surface, the obligatory breakdown protection belt and a high mileage compound ensure the RIDE Tour is a trusted companion on your regular rides. Available in a very wide range of sizes making it an ideal workshop tyre for bike shops to service a variety of different bicycle types.

Features an upgraded 180 threads per inch casing rather than the previos 66tpi. This means that the tyre casing is more supple. This gives both better rolling resistance (a faster ride for the given rider power input) and better puncture protection as the tyre is able to deform more quickly around sharp offending objects.

- City / street tyre for a diverse range of fitments
- 3mm thick EXTRA puncture belt under the tread
- Inexpensive & long lasting



RIDET	our													
ExtraPur	ncture Be	elt - 3/180 TPI											E25	₽5
Article	ETRTO	Dimension	Colour/b	ead g	PSI	RRP/£	ı	Article	ETRTO	Dimension	Colour/b	ead g	PSI	RRP/£
0101137	62-203	12½ x 2¼	<ul><li>Wire</li></ul>	405	45-58	19.95		0101155	37-622	700x37 / 28 x 1¾ x 1%	<ul><li>Wire</li></ul>	690	56-70	23.95
0101138	47-305	16 x 1.75	<ul><li>Wire</li></ul>	490	45-58	19.95		0101180	37-622	700x37 / 28 x 1% x 1%	Wire	725	56-70	23.95
0101140	47-406	20 x 1.75	<ul><li>Wire</li></ul>	600	45-58	19.95		0101193	37-622	700x37 / 28 x 1% x 1%	<b>●</b> Wire	725	56-70	23.95
0101184	47-406	20 x 1.75	♠ Wire	630	45-58	19.95		0101177	37-622	700x37 / 28 x 1% x 1%	Wire	725	56-70	23.95
0101143	47-507	24 x 1.75	<ul><li>Wire</li></ul>	720	45-58	19.95		0101167	42-622	700x42 / 28 x 1.60	● Wire re	fl.790	51-65	26.95
0101148	47-559	26 x 1.75	<ul><li>Wire</li></ul>	780	45-58	23.95	Ш	0101157	42-622	700x42 / 28 x 1.60	● Wire	790	51-65	23.95
0101187	37-584	26/27.5 x 1%	lacktriangle Wire	690	56-70	23.95	Ш	0101160	47-622	700x47 / 28 x 1.75	● Wire re	fl.900	45-58	26.95
0101146	42-584	26/27.5 x 1½	<ul><li>Wire</li></ul>	720	51-65	23.95	Ш	0101159	47-622	700x47 / 28 x 1.75	● Wire	900	45-58	23.95
0101150	54-584	26/27.5 x 1½ x 2	<ul><li>Wire</li></ul>	950	45-58	23.95		0100375	47-622	700x47 / 28 x 1.75	● Wire	920	45-58	23.95
0101433	37-609	27 x 1% x 1½	<ul><li>Wire</li></ul>	685	56-70	23.95		0101162	32-630	27 x 1¼	● Wire re	fl.660	70-80	23.95
0101151	28-622	700x28 / 28 x 1% x 1%	<ul><li>Wire</li></ul>	540	70-102	23.95		0101161	32-630	27 x 1¼	● Wire	660	70-80	23.95
0101153	32-622	700x32 / 28 x 1¼ x 1¾	● Wire	640	70-80	23.95		0101165	42-635	28 x 1½	● Wire	820	51-65	23.95
0101188	32-622	700x32 / 28 x 1¼ x 1¾	● Wire	600	70-80	23.95								
·							-							
SAFET	Y LEVE	L O												



# RIDE City A ROBUST TYRE WITH A MODERN LOOK


Comfortable and safe cycling in the city with the RIDE City for pure cycling enjoyment. Its reworked profile design provides an even larger contact area on asphalt and low rolling resistance. The EXTRA puncture protection belt helps prevent unnecessary delays on the way to work or from the shopping trip.

- Reliable & economic city tyre with a new look practical tread pattern
- Suited to everyday cyclists who require reliability on a budget
- Sizes to fit MTB & 700c bikes



ExtraPuncture E	Belt - 3/180 TPI					E25 D
Article	ETRTO	Dimension	Colour/sidewall	g	PSI	RRP/£
0101552	47-559	26 x 1.75	Wire reflective	940	45-58	24.95
0101554	37-622	700x37 / 28 x 1% x 1%	Wire reflective	850	51-65	24.95
0101555	42-622	700x42 / 28 x 1.60	Wire reflective	950	51-65	24.95
0101556	47-622	700x47 / 28 x 1.75	Wire reflective	1100	45-58	24.95

Touring/Gravel Touring/Gravel CONTACT Spike Top CONTACT
Winter II **Allround Allround** CONTACT Travel CONTACT Top CONTACT CONTACT RIDE Tour Commute Commute CONTACT CONTACT CONTACT **Plus City** Urban Speed RIDE City Fast + Fast + Safety (+ Safety Level 9 9





# Competition IT'S TIME TO RACE: THE CLASSIC FOR STRONG ACCELERATION

Robust all-rounder appearing at the sharp end in all the major cycling races around the world. Agile and fast, adapts to the competition in all road conditions.

In recent times, Egan Bernal, Geraint Thomas & Chris Froome have won Tours de France on Continental Competition tubulars. Add these wins to countless victories at the IronMan World Championships in Kona, and you can see that it provides the best combination of speed, grip and reliability at the top end of our sport for those riders using the tubular wheel system.

- Handmade in Germany!
- Winning tyre at three Paris-Roubaix races
- BlackChili compound
- 4 layers of puncture protection under the tread
- Vectran protection.



nd - Vectran Breaker - 3/180 T	PI			
Dimension	Colour/sidewall	g	PSI	RRP/£
28 x 19	◆ Tubular	190	145-170	109.95
28 x 22	◆ Tubular	225	115-170	109.95
28 x 25	◆ Tubular	240	115-170	109.95
	<b>Dimension</b> 28 x 19 28 x 22	28 x 19	Dimension         Colour/sidewall         g           28 x 19         ● Tubular         190           28 x 22         ● Tubular         225	Dimension         Colour/sidewall         g         PSI           28 x 19         ● Tubular         190         145-170           28 x 22         ● Tubular         225         115-170



## **Competition TT EVEN FASTER**

Even faster time trial tire due to the delicate carcass. Excellent acceleration thanks to the application of a latex tube. Design updated to a smooth central tread pattern.

Dedicated 25mm TT / Triathlon tubular, based on the legendary Competition road tubular.

An ideal choice for those riders using a tubular wheel system for individual events, from the IronMan World Championships in Kona to the local evening time trial, combining the proven reliability of our Competition road tubular yet adding extra speed through a more supple tyre casing, smooth central tread pattern, lower overall weight and a latex tube. Latex inner tubes are proven as the fastest tube material, with a lower rolling coefficient than butyl.

- Handmade in Germany!
- Only 190g. 50g lighter than the Competition tubular
- Featuring a latex tube
- Smooth centre tread
- Finer casing
- Accelerates faster and rolls quicker!.

Please consider the special attributes of latex tubes!

# **Sprinter FAST SPRINTER, FOR WINNING THE POINTS**

ts function is in its name. The Sprinter is a fast tyre for the shorter road events like criteriums.

With a nylon SafetySystem puncture protection breaker it is reliable without losing its terrific rolling qualities. Its flexible casing and the anti-skidding rubber mixture keeps the contact even in fast 90 degree bends.

With its low weight and good acceleration, it is most definitely the fastest tyre in the last 400 metres.

- 22mm tread width, 170psi max. pressure
- Includes a nylon 'Safety System' puncture breaker for extra security



Competition TT						
BlackChili Compoi	und - Vectran Breaker - 3/180 T	PI			***************************************	
Article	Dimension	Colour/sidewall	g	PSI	RRP/£	
0196270	28 x 25	● Tubular	290	115-170	109.95	





Sprinter  BlackChili Compo	und - SafetySystem Breaker - 3/	180 TPI	_	_	_
Article	Dimension	Colour/sidewall	g	PSI	RRP/£
0196150	26 x 22	◆ Tubular	255	145-170	68.95
0196135	28 x 22	● Tubular	270	115-170	68.95
0196244	28 x 25	◆ Tubular	285	115-170	68.95



# Sprinter Gatorskin THE ROBUST SPRINTER, CREATED FOR EXTENDED RIDES AND TRAINING

Inheriting the best qualities of the highly popular Gatorskin road tyre, namely the durable carbon black tread mixture, the effective puncture protection breaker layer and the Duraskin anti-cut fabric.

The Sprinter Gatorskin itself features the typically comfortable and light feel of a tubular tyre. The professional riders use a similar combination in their tyres for Paris - Roubaix and other equipment destroying classics in the springtime.

If you want to 'get the miles in', but your streets aren't graced with the finest tarmac and you prefer the inconspicuous function of your tyres, then this is your tubular.


- The tub for ,getting the miles in
- Tubular version of the popular Gatorskin clincher
- Available in 22mm & 25mm options
- Durable, all weather black carbon tread mixture

# **Giro**INEXPENSIVE TUBULAR TRAINING TYRES

Tubular tyres are used mainly in competitions because of their outstanding rolling qualities and their very good emergency operating features (riding whilst deflated). With the Giro, you don't have to renounce those qualities whilst practising. To offer you the tough, no frills Giro at a very reasonable price, we let this training tyre be manufactured in Asia to our specifications.

- Inexpensive training tubular
- Cotton construction, ribbed tread pattern
- Continental quality at a budget price





Giro					
Performance - 2/1	60 TPI				
Article	Dimension	Colour/sidewall	g	PSI	RRP/£
0196017	28 x 22	♠ Tubular	390	115-145	41.95





### Sonderklasse II

# WITH ITS SINGLE MINDED DESIGN, THE SIX DAY HERO OF THE WOODEN BOARDS

Extremely light and fast handling tyre - made for endurance racing on the wooden boards. A special slick profile for the highest speeds puts this tire into a class of its own in our track racing range. Handmade lightweight tubular for use at the velodrome'

- Now with at faster, lighter casing.
- Includes our revolutionary BlackChili compound faster, grippier and stonger!

### Tempo II

### THE VELODROME ALL-ROUNDER FOR ALL TRACK DISCIPLINES

Particularly light and fast racing tyre designed for the concrete and wooden surfaces of velodromes. No compromise design: made with a particularly fine carcass and a slightly roughened slick tread.

- Handmade in Germany
- BlackChili compound for faster rolling
- Capable of very high running pressures up to 15 bar'
- Ideal for PB ride or just to lighten the bike'.

BLACK CHILI

Sonderklasse II							
BlackChili Compo	und - 3/180 TPI						
Article	Dimension	Colour/sidewall	g	PSI	RRP/£		
0196188	28 x 23	● Tubular	195	160-170	146.95		



Tempo II							
BlackChili Compound	I - 3/180 TPI						
Article	Dimension	Colour/sidewall	g	PSI	RRP/£		
0196185	28 x 19	◆ Tubular	185	160-220	109.95		
0196184	28 x 22	● Tubular	200	160-170	109.95		



# TYRES SIZES

12"	42-559	27" (cont.)	55-584
62-203	CONTACT Speed	32-630 (27x1 1/4)	Race King ProTection
RIDE Tour	47-559	Gator Hardshell	Race King ShieldWall
16"	Hometrainer II	Gatorskin	Race King
35-349	CONTACT Plus	Super Sport Plus	eCONTACT Plus
CONTACT Urban	CONTACT	RIDE Tour	CONTACT Plus City
47-305	CONTACT Urban	37-609	CONTACT Urban
RIDE Tour	RIDE Tour	RIDE Tour	58-584
20"	RIDE City	27.5" (650B)	Ruban
28-406	50-559	25-584	Ruban ShieldWall
CONTACT Speed	Cross King ShieldWall	Grand Prix 5000	Mountain King ProTection
32-406	Race King ShieldWall	Ultra Sport III	Mountain King ShieldWall
CONTACT Urban	Top CONTACT II	28-584	Mountain King
37-406	Top CONTACT Winter II Premium	Grand Prix 5000	Cross King ProTection
CONTACT	CONTACT Urban	Ultra Sport III	Cross King ShieldWall
42-406	CONTACT Speed	30-584	Cross King
CONTACT Urban	55-559	Grand Prix 5000 S TR	60-584
47-406	Cross King ProTection	32-584	Xynotal
RIDE Tour	Cross King ShieldWall	Grand Prix 5000 S TR	Kryptotal Fr
50-406	eCONTACT Plus	CONTACT Speed	Kryptotal Re
eCONTACT Plus	Top CONTACT Winter II Premium	35-584	Argotal
CONTACT Urban	CONTACT Urban	Terra Speed ProTection	Hydrotal
55-406	58-559	40-584	62-584
eCONTACT Plus	Mountain King ProTection	Terra Trail ProTection	eCONTACT Plus
62-406	Mountain King ShieldWall	Terra Speed ProTection	CONTACT Urban
eCONTACT Plus	Cross King ProTection	42-584	65-584
24"	Cross King ShieldWall	CONTACT Urban	Kryptotal Re
47-507	Cross King	47-584	Argotal
RIDE Tour	26/27.5"	Terra Trail ShieldWall	Ruban
26"	37-584	50-584	Ruban ShieldWall
23-571	RIDE Tour	Hometrainer II	Mountain King ProTection
Grand Prix	42-584	Cross King ShieldWall	Mountain King ShieldWall
Gatorskin	RIDE Tour	Race King ShieldWall	Cross King ProTection
26 x 22	54-584	Top CONTACT Winter II Premium	Cross King ShieldWall
Sprinter	RIDE Tour	CONTACT Urban	70-584
28-559	27"	CONTACT Speed	Mountain King ProTection
Grand Prix	28-630 (27x1 1/8)	54-584	Mountain King ShieldWall
Gatorskin	Super Sport Plus	Ruban ShieldWall	Cross King ProTection
32-559		55-584	Cross King ShieldWall
CONTACT Speed		Cross King ProTection/Shieldwall	

28"/700c	28 x 23	40-622	55-622
23-622	Sonderklasse II	Terra Trail ProTection	Cross King ProTection
Grand Prix 5000	28 x 25	Terra Speed ProTection	Cross King ShieldWall
Grand Prix 4-Season	Competition	Terra Trail ShieldWall	Cross King
Grand Prix	Sprinter	CONTACT Urban	Race King ProTection
Gator Hardshell	Sprinter Gatorskin	42-622	Race King ShieldWall
Gatorskin	30-622	Top CONTACT II	Race King
Grand Sport Race	Grand Prix 5000	Top CONTACT Winter II Premium	58-622
Ultra Sport III	Grand Prix 5000 S TR	CONTACT Plus	Ruban
Hometrainer II	32-622	CONTACT Plus City	Ruban ShieldWall
Super Sport Plus	Grand Prix 5000	CONTACT	Mountain King ProTection
25-622	Grand Prix 5000 S TR	CONTACT Urban	Mountain King ShieldWall
Grand Prix 5000	Grand Prix 5000 All Season TR	CONTACT Speed	Mountain King
Grand Prix 4-Season	Grand Prix 4-Season	RIDE Tour	Cross King ProTection
Grand Prix	Gator Hardshell	RIDE City	Cross King ShieldWall
Gator Hardshell	Gatorskin	42-635	Cross King
Gatorskin	Grand Sport Race	CONTACT Plus	60-622
Grand Sport Race	Hometrainer II	RIDE Tour	Xynotal
Ultra Sport III	Top CONTACT II	45-622	Kryptotal Fr
Super Sport Plus	CONTACT	Terra Trail ShieldWall	Kryptotal Re
28-622	CONTACT Urban	Terra Speed ProTection	Argotal
Grand Prix 5000	CONTACT Speed	47-622	Hydrotal
Grand Prix 4-Season	RIDE Tour	Top CONTACT II	65-622
Grand Prix	35-622	CONTACT Plus	Kryptotal Re
Gator Hardshell	Grand Prix 5000 All Season TR	CONTACT Plus City	Argotal
Gatorskin	Grand Prix Urban	CONTACT	Ruban ShieldWall
Grand Sport Race	Urban TaraxaGum	CONTACT Urban	Cross King ShieldWall
Ultra Sport III	Terra Speed ProTection	RIDE Tour	
Top CONTACT II	Terra Trail ShieldWall	RIDE City	
Super Sport Plus	CONTACT Urban	50-622 (28")	
CONTACT	37-622	Terra Hardpack ShieldWall	
CONTACT Urban	Top CONTACT II	eCONTACT Plus	
CONTACT Speed	Top CONTACT Winter II Premium	CONTACT Urban	
RIDE Tour	CONTACT Plus	55-622 (28")	
28 x 19	CONTACT Plus City	CONTACT Urban	
Competition	CONTACT	62-622 (28")	
Tempo II	CONTACT Urban	eCONTACT Plus	
28 x 22	37-622	CONTACT Urban	
Competition	CONTACT Speed	29"	
28 x 22	CONTACT Spike 120	50-622	
Sprinter	CONTACT Spike 240	Cross King ShieldWall	
Sprinter Gatorskin	RIDE Tour	Race King ShieldWall	
Giro	RIDE City	54-622	
Tempo II	37-635	Ruban	

RIDE Tour

Ruban ShieldWall













		A34mm	A34mm 4	5° A40mm	D26mm	D40mm	S42mm	S60mm	S80mm		
ETRTO	Version	Article	Article	Article	Article	Article	Article	Article	Article	g	RRP£
Race 26" 20-559->25-571							0181371	0181381		95	fr. 7.49
20 333 723 371	Light						0181391	0181411		65	fr. 10.95
Race 28"											
20-622->25-630							0181781	0181791	0180000	100	fr. 7.49
	Light						0181821	0181831	0181871	65	fr. 10.95
25-622->32-630	Wide						0181921	0181931		125	fr. 7.49
Cross 28"							0404044	0404054		160	6.740
32-622->47-622 MTB <b>26</b> "							0181941	0181951		160	fr. 7.49
47-559->62-559				0181611		0181621	0181631	0181671		205	fr. 7.49
47-559->60-559	Light			0.0.0			0181681			125	10.95
57-559->70-559	Freeride			0181721			0181731			295	13.49
MTB 27.5"											
47-584->62-584				0182331			0182311			230	7.49
47-584->60-584	Light						0182341			145	10.95
65-584->70-584	Wide			0180017			0180015			345	10.95
MTP 20"	Wide Light						0180019			275	11.95
MTB 29" 47-622->62-622				0182171		0183051	0182181	0182191		230	fr. 7.49
47-622->60-622	Light			2.52.171		2.00001	0182321	0182201		190	fr. 10.95
65-622->70-622	Wide			0180031			0180034			345	10.95
Tour 26"											
28-559->32-597	Slim					0181471	0181481			145	7.49
37-559->47-590	All			0181491		0181511	0181521			175	7.49
47-559->62-559	Wide			0181531		0181571	0181591			200	7.49
Tour 28"	20 0			0404074		0101001	0101001			140	7.40
28-622->37-622/32-6 32-622->47-622/42-6				0181971 0182001		0181981 0182021	0181991 0182031	0182041		140 165	7.49 fr. 7.49
32-022-247-022/42-0	Light			0182051		0182021	0182031	0102041		115	10.95
							0182161			230	7.49
47-622->62-622	Wide			0182121		0102131					
47-622->62-622	Wide			0182121		0182131	0102101				
47-622->62-622  Hermetic Plus	Wide			0182121		0102131	0102101				
Hermetic Plus ETRTO	Wide Version	Article	Article	Article	Article	Article	Article	Article	Article	g	RRP£
Hermetic Plus ETRTO Compact 20"			Article		Article	Article		Article	Article	g	RRP£
Hermetic Plus ETRTO Compact 20" 32-406->47-451	Version	0180037	Article		Article	Article 0180039		Article	Article	<b>g</b> 190	<b>RRP £</b> 8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406			Article		Article	Article		Article	Article	g	RRP£
Hermetic Plus ETRTO Compact 20" 32-406>47-451 50-406>62-406 Compact 24"	Version	0180037	Article		Article	Article 0180039		Article	Article	<b>g</b> 190 230	RRP£  8.99  8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406	Version	0180037	Article	Article	Article	Article 0180039 0180045		Article	Article	<b>g</b> 190	<b>RRP £</b> 8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544	<b>Version</b> Wide	0180037	Article	Article 0182231	Article	Article 0180039 0180045		Article	Article	<b>g</b> 190 230 235	8.99 8.99 8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507	<b>Version</b> Wide	0180037	Article	Article 0182231	Article	Article 0180039 0180045		Article	Article	<b>g</b> 190 230 235	8.99 8.99 8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559	Version  Wide	0180037	Article	Article 0182231 0182581	Article	Article 0180039 0180045 0182241	Article	Article	Article	9 190 230 235 370	RRP£  8.99  8.99  8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559 Tour 28"	Version  Wide  Wide  All  Wide	0180037	Article	O182231 O182581 O182251	Article	Article 0180039 0180045 0182241 0182261 0181581	Article 0182271	Article	Article	9 190 230 235 370 255 300	8.99 8.99 8.99 8.99 8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->62-559 Tour 28" 32-622->47-622/42-6	Version  Wide  Wide  All  Wide	0180037	Article	Article 0182231 0182581	Article	Article 0180039 0180045 0182241 0182261 0181581 0182081	Article 0182271	Article	Article	9 190 230 235 370 255 300	8.99 8.99 8.99 8.99 8.99 8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559 Tour 28"	Version  Wide  Wide  All  Wide	0180037	Article	O182231 O182581 O182251	Article	Article 0180039 0180045 0182241 0182261 0181581	Article 0182271	Article	Article	9 190 230 235 370 255 300	8.99 8.99 8.99 8.99 8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->62-559 Tour 28" 32-622->47-622/42-6	Version  Wide  Wide  All  Wide	0180037	Article	O182231 O182581 O182251	Article	Article 0180039 0180045 0182241 0182261 0181581 0182081	Article 0182271	Article	Article	9 190 230 235 370 255 300	8.99 8.99 8.99 8.99 8.99 8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->62-559 Tour 28" 32-622->47-622/42-6	Version  Wide  Wide  All  Wide	0180037	Article	O182231 O182581 O182251	Article	Article 0180039 0180045 0182241 0182261 0181581 0182081	Article 0182271	Article	Article	9 190 230 235 370 255 300	8.99 8.99 8.99 8.99 8.99 8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559 Tour 28" 32-622->47-622/42-6 47-622->62-622	Version  Wide  Wide  All  Wide  335 All  Wide	0180037 0180042		0182231 0182581 0182251 0182101		0180039 0180045 0182241 0182261 0181581 0182081 0182151	Article  0182271  0182091			9 190 230 235 370 255 300 225 325	8.99 8.99 8.99 8.99 8.99 8.99 8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559 Tour 28" 32-622->47-622/42-62 Compact Tubes ETRTO Compact 8" 54-110	Version  Wide  Wide  All  Wide  335 All  Wide	0180037 0180042		0182231 0182581 0182251 0182101		0180039 0180045 0182241 0182261 0181581 0182081 0182151	Article  0182271  0182091			9 190 230 235 370 255 300 225 325	8.99 8.99 8.99 8.99 8.99 8.99 8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559 Tour 28" 32-622->47-622/42-62 Compact Tubes ETRTO Compact 8" 54-110 Compact 10"/11"/13	Version  Wide  Wide  All  Wide  335 All  Wide	0180037 0180042 Article	Article	0182231 0182581 0182251 0182101	Article 0180991	0180039 0180045 0182241 0182261 0181581 0182081 0182151	Article  0182271  0182091			9 190 230 235 370 255 300 225 325	8.99 8.99 8.99 8.99 8.99 8.99 8.99 8.749
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559 Tour 28" 32-622->47-622/42-6 47-622->62-622 Compact Tubes ETRTO Compact 8" 54-110 Compact 10"/11"/11 44-194->62-222	Version  Wide  Wide  All  Wide  335 All  Wide	0180037 0180042		0182231 0182581 0182251 0182101	Article	0180039 0180045 0182241 0182261 0181581 0182081 0182151	Article  0182271  0182091			9 190 230 235 370 255 300 225 325	8.99 8.99 8.99 8.99 8.99 8.99 8.99
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559 Tour 28" 32-622->47-622/42-6 47-622->62-622 Compact Tubes ETRTO Compact 8" 54-110 Compact 10" /11" /11 44-194->62-222 Compact 14"	Version  Wide  Wide  All  Wide  335 All  Wide	0180037 0180042 Article	Article	0182231 0182581 0182251 0182101	Article 0180991 0181071	0180039 0180045 0182241 0182261 0181581 0182081 0182151	Article  0182271  0182091			9 190 230 235 370 255 300 225 325 9 70	8.99 8.99 8.99 8.99 8.99 8.99 8.99 8.749
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559 Tour 28" 32-622->47-622/42-6 47-622->62-622 Compact Tubes ETRTO Compact 8" 54-110 Compact 10"/11"/11 44-194->62-222	Version  Wide  Wide  All  Wide  335 All  Wide	0180037 0180042 Article	Article	0182231 0182581 0182251 0182101	Article 0180991	0180039 0180045 0182241 0182261 0181581 0182081 0182151	Article  0182271  0182091			9 190 230 235 370 255 300 225 325	8.99 8.99 8.99 8.99 8.99 8.99 8.99 8.749
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559 Tour 28" 32-622->47-622/42-6 47-622->62-622 Compact Tubes ETRTO Compact 8" 54-110 Compact 10" /11" /11 44-194->62-222 Compact 14" 32-279->47-298	Version  Wide  Wide  All  Wide  335 All  Wide	0180037 0180042 Article	Article	0182231 0182581 0182251 0182101	Article 0180991 0181071	0180039 0180045 0182241 0182261 0181581 0182081 0182151	Article  0182271  0182091			9 190 230 235 370 255 300 225 325 9 70	8.99 8.99 8.99 8.99 8.99 8.99 8.99 8.749
Hermetic Plus ETRTO Compact 20" 32-406>47-451 50-406>62-406 Compact 24" 32-507>47-544 55-507>62-507 Tour 26" 37-559>47-590 47-559>62-559 Tour 28" 32-622>47-622/42-6 47-622>62-622 Compact Tubes ETRTO Compact 8" 54-110 Compact 10" /11" /11 44-194>62-222 Compact 14" 32-279>47-298 Compact 16"	Version  Wide  Wide  All  Wide  335 All  Wide	0180037 0180042 Article	Article	0182231 0182581 0182251 0182101	Article 0180991 0181071 0181081	0180039 0180045 0182241 0182261 0181581 0182081 0182151	Article  0182271  0182091  Article			9 190 230 235 370 255 300 225 325 9 70 95	8.99 8.99 8.99 8.99 8.99 8.99 8.99 7.49
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559 Tour 28" 32-622->47-622/42-6 47-622->62-622 Compact Tubes ETRTO Compact 8" 54-110 Compact 10" /11" /11 44-194->62-222 Compact 14" 32-279->47-298 Compact 16" 32-305->47-349 50-305->62-305 Compact 18"	Version  Wide  Wide  All  Wide  635 All  Wide  Version	0180037 0180042 Article 0181051	Article	0182231 0182581 0182251 0182101	Article 0180991 0181071 0181081 0181111 0181171	0180039 0180045 0182241 0182261 0181581 0182081 0182151	Article  0182271  0182091  Article			9 190 230 235 370 255 300 225 325  9 70 95 100 110 120	8.99 8.99 8.99 8.99 8.99 8.99 8.99 8.749 7.49 7.49 7.49
Hermetic Plus ETRTO Compact 20" 32:406>47-451 50-406>62-406 Compact 24" 32:507>47-544 55:507>62-507 Tour 26" 37:559>47-590 47:559>62-559 Tour 28" 32:622>47-622/42-6 47-622>62-622 Compact Tubes ETRTO Compact 8" 54-110 Compact 10" /11" /11 44-194>62-222 Compact 14" 32-279>47-298 Compact 16" 32:305>47-349 50:305>62-305 Compact 18" 32-355>47-400	Version  Wide  Wide  All  Wide  635 All  Wide  Version	0180037 0180042 Article 0181051	Article	0182231 0182581 0182251 0182101	Article 0180991 0181071 0181081 0181111	0180039 0180045 0182241 0182261 0181581 0182081 0182151	Article  0182271  0182091  Article			9 190 230 235 370 255 300 225 325 9 70 95	8.99 8.99 8.99 8.99 8.99 8.99 8.99 7.49 7.49
Hermetic Plus ETRTO Compact 20" 32:406>47-451 50-406>62-406 Compact 24" 32:507>47-544 55:507>62-507 Tour 26" 37:559>47-590 47:559>62-559 Tour 28" 32:622>47-622/42-62 47-622>62-622 Compact Tubes ETRTO Compact 8" 54-110 Compact 10" /11" / 11 44-194>62-222 Compact 14" 32-279>47-398 Compact 16" 32:305>47-349 50:305>62-305 Compact 18" 32:355>47-400 Compact 20"	Version  Wide  Wide  All  Wide  635 All  Wide  Version	0180037 0180042 Article 0181051	Article	0182231 0182581 0182251 0182101	Article 0180991 0181071 0181081 0181111 0181171	0180039 0180045 0182241 0182261 0181581 0182081 0182151	Article  0182271  0182091  Article  0181121			9 190 230 235 370 255 300 225 325  9 70 95 100 110 120 125	8.99 8.99 8.99 8.99 8.99 8.99 8.99 8.749 7.49 7.49 7.49 7.49
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559 Tour 28" 32-622->47-622/42-6 47-622->62-622 Compact Tubes ETRTO Compact 8" 54-110 Compact 10" /11" /11 44-194->62-222 Compact 14" 32-279->47-298 Compact 16" 32-305->47-349 50-305->62-305 Compact 18" 32-355->47-400 Compact 20" 28-406->32-451	Version  Wide  Wide  All  Wide  635 All  Wide  Version	0180037 0180042 Article 0181051 0181091 0181131	Article	0182231 0182581 0182251 0182101	Article 0180991 0181071 0181081 0181111 0181171	Article 0180039 0180045 0182241 0182261 0181581 0182081 0182151  Article	Article  0182271  0182091  Article  0181121			9 190 230 235 370 255 300 225 325  9 70 95 100 110 120 125 105	RRP£  8.99 8.99 8.99 8.99 8.99 8.99 8.749 7.49 7.49 7.49 7.49 7.49 7.49
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559 Tour 28" 32-622->47-622/42-6 47-622->62-622 Compact Tubes ETRTO Compact 8" 54-110 Compact 10" /11" / 11 44-194->62-222 Compact 14" 32-279->47-298 Compact 16" 32-305->47-349 50-305->62-305 Compact 18" 32-355->47-400 Compact 20" 28-406->32-451 32-406->47-451	Version  Wide  Wide  All  Wide  535 All  Wide  Version  2*	0180037 0180042 Article 0181051 0181091 0181131	Article	0182231 0182581 0182251 0182101	Article 0180991 0181071 0181081 0181111 0181171	Article  0180039  0180045  0182241  0182261  0181581  0182081  0182151  Article	Article  0182271  0182091  Article  0181121			9 190 230 235 370 255 300 225 325  9 70 95 100 110 120 125 105 135	RRP £  8.99 8.99 8.99 8.99 8.99 8.99 8.99 7.49 7.49 7.49 7.49 7.49 7.49 7.49 7
Hermetic Plus ETRTO Compact 20" 32-406->47-451 50-406->62-406 Compact 24" 32-507->47-544 55-507->62-507 Tour 26" 37-559->47-590 47-559->62-559 Tour 28" 32-622->47-622/42-6 47-622->62-622 Compact Tubes ETRTO Compact 8" 54-110 Compact 10" /11" /11 44-194->62-222 Compact 14" 32-279->47-298 Compact 16" 32-305->47-349 50-305->62-305 Compact 18" 32-355->47-400 Compact 20" 28-406->32-451	Version  Wide  Wide  All  Wide  635 All  Wide  Version	0180037 0180042 Article 0181051 0181091 0181131	Article	0182231 0182581 0182251 0182101	Article 0180991 0181071 0181081 0181111 0181171	Article 0180039 0180045 0182241 0182261 0181581 0182081 0182151  Article	Article  0182271  0182091  Article  0181121			9 190 230 235 370 255 300 225 325  9 70 95 100 110 120 125 105	RRP £  8.99 8.99 8.99 8.99 8.99 8.99 8.99 7.49 7.49 7.49 7.49 7.49 7.49
Hermetic Plus ETRTO Compact 20" 32:406>47-451 50-406>62-406 Compact 24" 32:507>47-544 55:507>62-507 Tour 26" 37:559>47-590 47:559>62-559 Tour 28" 32:622>47-622/42-6 47-622>62-622 Compact Tubes ETRTO Compact 8" 54-110 Compact 10" /11" / 11 44-194>62-222 Compact 14" 32-279>47-298 Compact 16" 32:305>47-349 50:305>62-305 Compact 18" 32-355>47-400 Compact 20" 28-406>32-451 32-406>62-406	Version  Wide  Wide  All  Wide  535 All  Wide  Version  2*	0180037 0180042 Article 0181051 0181091 0181131	Article	0182231 0182581 0182251 0182101	Article 0180991 0181071 0181081 0181111 0181171	Article  0180039  0180045  0182241  0182261  0181581  0182081  0182151  Article	Article  0182271  0182091  Article  0181121			9 190 230 235 370 255 300 225 325  9 70 95 100 110 120 125 105 135	RRP £  8.99 8.99 8.99 8.99 8.99 8.99 8.99 7.49 7.49 7.49 7.49 7.49 7.49 7.49 7


# ACCESSORIES


#### **VALVE EXTENDERS**

We offer a valve extension for every type of rim. What is required is a tube with a Presta valve which has an interchangeable insert.

With the enclosed tool you can easily fit the valve extension yourself.

Valve extensi	on Alumium for presta valve	:	
Article	Version	PU	RRP£
0140028	20 mm   Set   2 Pcs	2	15.99
0140030	30 mm   Set   2 Pcs	2	15.99
0140032	40 mm   Set   2 Pcs	2	15.99
0140034	60 mm   Set   2 Pcs	2	15.99





#### **CONTI REVOSEALANT**

Punctures and small cuts? The ammonia and protein-free RevoSealant reliably seals holes without attacking the tyre or tube chemically. RevoSealant was developed specifically for our MTB TR and Road TL systems. In addition it effectively prevents punctures and repairs tubulars and tubes.

Continental RevoSealant				
Article	Version	PU	RRP £	
0140050	1000 ml	6	39.95	
0140044	240 ml	20	13.45	



Valves & Cores			
Article	Version	PU	RRP£
0140090	Tubeless Valve Set   Presta 40	mm 2	22.95
0144690	Presta Valve Cores   Set 10	1	11.95





<b>Tube Dispenser</b>			
Article	Version	PU	RRP £
1798213	Inner tube dispenser	3	FOC

Tyre fitting/removing levers			
Article	Version	PU	RRP£
0149090	MTB/Tour	50	1.29
0149093	Road	50	1.29

Road








Article	Version	PU	RRP £
0101025	MTB 27.5" S42	1	13.95
0101026	MTB 29" S42	1	13.95
0100385	MTB 26" S42	1	13.95
0100388	Race 28" S42	1	13.95
0100384	Race 28" S60	1	13.95



Wheel bag with two padded compartments for MTB or racing tires [front + back] with reinforced carrier and shoulder straps. In Conti style, ideal for transporting tires and rims. With reflex stripes. Material: Made of a durable plastic.



Race Cap			
Article	Version	PU	RRP £
1795394	Race Cap Conti Yellow	1	9.95





500ml Elite Fly bottle			
Article	Version	PU	RRP£
1795391	Bottle - Elite Fly 500ml	1	5.95



Wheel bag			
Article	Version	PU	RRP£
0140011	26"- 29", 700c Black Chili-Logo	1	59.95

# TECHNIC

BlackChili Compound

### IT'S ALL ABOUT HOW YOU MIX IT


The rolling properties of the rubber compound of a tyre are primarily determined by three interacting factors – stiction [grip], rolling resistance and mileage [longevity]. The dilemma: If you improve any of these factors it can have a detrimental effect on at least one of the others. A tyre with maximum grip wears quicker and rolls more slowly. If you then make a tyre roll faster and more durable, grip, in turn, is reduced.

With our BlackChili Compound, a tread compound which is always based on the latest knowledge of polymers and raw material research, we have supplied the cycling industry with an enduring solution.

Depending on the application of a tyre, we adjust the compound formulation for the specific discipline – for road, gravel or mountain biking, time trialling or downhill racing.

How does that work? For BlackChili, we refine special synthetic rubbers with proven natural rubber to high-performance tread mixtures. To these mixtures we then add soot particles, which in turn are optimised in shape and surface properties. The complex compound technology is so sensitive that tyres with BlackChili Compound are produced exclusively in our German Korbach plant.





### PolyX Breaker™

### **CUT AND PUNCTURE PROOF**


With PolyX Breaker™ car expertise comes to the bicycle tyre sector. Polyester has been used successfully for years in car tyres and has proved extremely effective. The extremely resistant polyester fibre is woven tightly crosswise. A very high fabric density is achieved which makes the breaker resistant not only to foreign bodies, but especially to punctures. The rolling resistance is not affected by this breaker.



### NyTech Breaker LIGHT AND SLEEK

The Nytech Breaker is based on the technology of our SafetySystem puncture protection. Made of nylon fibre and similar to Kevlar, it reliably protects against punctures and cuts. It also has particularly low rolling resistance and reduced weight, perfect for our performance range of road tyres.





# PureGrip Compound PURE GRIP FOR EVERYONE

PureGrip Compound is derived from an activated Silica compound and is a good example of how we integrate customer feedback continuously into our research and development. This mixture technology fits in perfectly alongside the BlackChili Compound. The name PureGrip does exactly what it says; exceptionally good grip and durability are the distinguishing features of this compound. Engineered with PureGrip in our Performance products in our road, gravel and mountain bike ranges.



# Hardshell ProTection MORE IS WHAT YOU GET

Puncture protection and mileage are the strengths of Hardshell-ProTection. A wider PolyX Breaker™, the specialist against punctures, under the tread centre and shoulders provides for great reliability. The three-ply – each layer with 60 TPI – carcass covers the entire tyre and makes it a real bastion against urban detritus. The outer sidewalls of the tire are reinforced with DuraSkin® fabric providing even more reliability due to the casing being so well protected. Hardshell tyres are the puncture-resistant flagship amongst racing tyres – produced exclusively in Germany.





#### Vectran™Breaker

# PUNCTURE PROTECTION AT IT'S BEST

Vectran<sup>™</sup> is spun from liquid crystal-polymer. This way a thermoplastic, multiple-thread yarn is created. As a comparison: This partially crystalline fabric is more cut-resistant than aramide and its tensile strength is five times higher than that of steel. A Vectran<sup>™</sup> Breaker is lighter, more flexible and effective against cuts than a comparable nylon breaker. Without effecting rolling resistance.



# DuraSkin® FOR HARD CASES

Tyres with DuraSkin® sidewall protection can take a beating as they are designed for the most adverse conditions. In rough terrain on a cyclocross or a gravel bike, on commuter bikes where tyres scrape along curbs, on touring bikes as they cross continents encountering many different road qualities and on the race circuit where they prove themselves in endurance events such as the Paris-Roubaix. The high-quality polyamide fabric reliably protects the wall of the tyre. Tyres with DuraSkin® can be identified by the characteristic brown mesh sidewall\*.



# Puncture ProTection THE NAME SPEAKS FOR ITSELF

An impeccable rubber Breaker, created for the daily ride on your Urban/Tour bike. The breaker ensures a high level of puncture protection and sidewall abrasion.




### SafetyPlus Breaker

# THE ANTI-PUNCTURE SPECIALIST

Specially designed for e-bikes up to 50 km/h, we have combined our SafetySystem Breaker with a highly flexible natural rubber. The result is an extremely cut and puncture resistant breaker ply which has a low rolling resistance thanks to its high elasticity. This helps saving battery life and the environment. High acceleration torques and fast speeds in turns are easily absorbed by the breaker. The specialist for fast e-bikes and rental bikes.



\* Benchmark test: Piercing (blade) test measuring force required, Zedler Institute, 2016 - further details of the test: <a href="www.continental-tires.com/bicycle/technology">www.continental-tires.com/bicycle/technology</a>



### SafetyPro Breaker

# LIGHTWEIGHT PUNCTURE PROTECTION

The new SafetyPro Breaker designed from nylon textile. Cross-woven textile fiber netting that is simultaneously robust and flexible. Maximum puncture protection with minimal added weight. The risk of punctures resulting from glass or sharp stones is substantially reduced.



# EXTRA PunctureBelt CAREFREE ON A DAILY BASIS

Anyone looking for a reliable everyday companion will go for a tyre with EXTRA PunctureBelt. This rugged rubber breaker, combined with the rubber-reinforced sidewalls of the tyre, ensures a high level of puncture protection and sidewall abrasion. Where durability is the main focus, there is also a solid tyre version.



### SafetySystem Breaker

# PUNCTURE PROTECTION AS A SYSTEM

The SafetySystem Breaker consists of a Kevlar-reinforced, high-strength nylon fabric. Puncture and cut resistant, whilst also being light and flexible, allowing the tire to adapt more effectively to the terrain. The breaker protects the carcass against foreign objects and contributes to a longer lifespan of the tyre without significantly increasing weight or rolling resistance. Additionally, tyres with SafetySystem have particularly comfortable handling characteristics.

Safety O System

### SafetyPlus Pro Breaker

# THE SPECIALIST FOR E-BIKES AND CARGO BIKES

Engineered for the unique demands of modern e-bikes and cargo bikes up to 50km/h. Our Safety Plus Pro Breaker technology combines highly flexible rubber with the proven strength of our tightly woven PolyX puncture-resistant fibers. The high elasticity keeps rolling resistance low, prolonging the e-bike battery life so you get moremiles from each charge. When riding with heavy loads, the SafetyPlus Pro Breaker contributes to confident handling through busy traffic and sharp corners, no matter the conditions.



# TECHSUPPORT

Mounting instruction Tubeless Ready tyres

### **TIPS AND TRICKS**

In individual cases where the tyre bead does not properly sit on the inside of the rim, try unscrewing the valve nut and pushing the valve back.


Valves with a round rubber end have a lower volume than those with a rectangular rubber end. Maybe you could try to change your existing valve to fit your tyre accordingly.

### **WATCH THE VIDEO**




#### **RECOMMENDED AMOUNTS OF SEALANT PER TYRE**

9	Dimension	Filling amount
Ö	25 mm	30 - 60 ml
~~~	28 mm	60 - 90 ml
	Dimension	Filling amount
en en	2.0 - 2.1	80 - 100 ml
	2.2 - 2.3	100 - 120 ml
≥	2.4 - 2.5	120 - 150 ml
	2.6 - 2.8	150 - 180 ml



Check both rim and rim tape. Only use Tubeless ready rims. Ensure that the rim tape covers the rim well with at least two layers.



use any tools.

Mount the Tuberiess varieties it from the inside of the rim and

tighten the nut. Press your finger on the

rubber end of the valve to secure a better


fit. Only tighten the nut by hand, do not

To fit the tyre between the hooks, you may need a higher amount of air in the first instance. If you are using a floor pump, it is better to maintain a constant momentum within the first few seconds. A modern floor pump with a second inflatable cartridge can help to achieve


If a floor pump does not fill and accurately seat the tyre, a compressor could help. You may need to adapt to the respective bicycle valve.




Before the initial inflation you can apply some soapy-water or a mounting pad on the contact points between tyre and rim bed. This can help improve mounting the tyre on the rim.



The correct fitting of the tyre on the rim is mostly notable by a loud clicking noise. Check the air tightness of your Tubeless system. Does it lose any air? Check if the control line has an equal distance to the rim. If not release some air and work on the tyre with both hands.



Mount the Tubeless tyre on the rim in correct orientation of rotation. Ensure no loose pieces (e.g. sand, plastics) are found inside. Due to the tighter dimension tolerances of a tubeless tyre compared to a normal clincher tyre, it may be helpful to use tyre levers.



To enhance the air volume, unscrew the valve core. Pump it up and screw the valve core in again.



For the best puncture resistance, we recommend to fill approximately 30 - 60 ml of tire sealant through the valve. Considering it will dry over time, it is best to check and refill it every 3 - 6 months.

#### Important:

Do not insert the tyre sealant with the valve at a 6 o'clock position! The valve should be located at the 5 or 7 o'clock position.



If you are using tyre sealant: For inflation place the tyre with the valve at the 11 or 1 o'clock position. Otherwise sealant could leak into the valve or put too much turbulence into it. It could dry faster or lock up the valve core.

Please be advised that the use of a CO2 cartridge can clump the sealant particles.



### Official UK Importer



#### Cambrian Tyres Cycle Ltd

Unit 8C, Science Park Aberystwyth SY23 3AH 01970 626777 www.cambriantyresb2b.co.uk

#### Trade Newsletter Signup





@ContiTyres

### Authorised Sub-wholesalers:



zyrofisher.co.uk/b2b customer.care@zyrofisher.co.uk



bob-elliot.co.uk sales@bob-elliot.co.uk.



lyonb2b.co.uk info@lyon.co.uk



jhi.ie sales@jhi.ie

Subject to technical changes. No reliability for printer's error:

O2/24 Cambrian Tyres Cycle Ltd Vectran™ is the registered trademark of Kuraray Co., Ltd.; Kevlar® is the registered trademark of E. I. du Pont de Nemours and Company.

© Copyright 2024 by Cambrian Tyres Cycle Ltd North Parade, Aberystwyth, Wales. SY23 2JR

